

掲載論文(2018年)

1: Prevalence and key radiographic spinal malalignment parameters that influence the risk for gastroesophageal reflux disease in patients treated surgically for adult spinal deformity. Ohba T, Ebata S, Koyama K, Haro BMC Gastroenterol. Jan;10;18(1); 8

2: Adequate cage placement for a satisfactory outcome after lumbar lateral interbody fusion with MRI and CT analysis. Ebata S, Ohba T, Haro H Spine Surgery and Related Research. Jan. 2(1); 53-59

3: Application of neurite orientation dispersion and density imaging or diffusion tensor imaging to quantify the severity of cervical spondylotic myelopathy and assess postoperative neurological recovery. Okita G, Ohba T, Takamura T, Ebata S, Ueda R, Onishi H, Haro H, Hori M Spine J. Feb;18(2); 268-275

4: Integrated anatomy of the neuromuscular, visceral, vascular, and urinary tissues determined by MRI for a surgical approach to lateral lumbar interbody fusion in the presence or absence of spinal deformity Ebata S, Ohba T, Haro H Spine Surgery and Related Research Apr.2(2);140-147

5: Do screws and screw holes affect osteolysis in cementless cups using highly crosslinked polyethylene? A 7 to 10-year follow-up case-control study. Taniguchi N, Jinno T, Takada R, Koga D, Ando T, Okawa A, Haro H. Orthop Traumatol Surg Res. 2018 May;104(3):307-315

6: Distribution of ossified spinal lesions in patients with severe ossification of the posterior longitudinal ligament and prediction of ossification at each segment based on the cervical OP index classification: a multicenter study (JOSL CT study). Hirai T, Yoshii T, Nagoshi N, Takeuchi K, Mori K, Ushio S, Iwanami A, Yamada T, Seki S, Tsuji T, Fujiyoshi K, Furukawa M, Nishimura S, Wada K, Furuya T, Matsuyama Y, Hasegawa T, Takeshita K, Kimura A, Abematsu M, Haro H, Ohba T, Watanabe M, Katoh H, Watanabe K, Ozawa H, Kanno H, Imagama S, Ando K, Fujibayashi S, Koda M, Yamazaki M, Matsumoto M, Nakamura M, Okawa A, Kawaguchi Y. BMC Musculoskelet Disord. 2018 Apr 5;19(1):107

7: Comparative study of the paraspinal muscles after OVF between the insufficient union and sufficient union using MRI. Katsu M, Ohba T, Ebata S, Haro H BMC Musculoskeletal Disorders May.19;143

8: Treatment Outcome of Reconstruction for Isolated Posterior Cruciate Injury: Subjective and Objective Evaluations. Ochiai S, Hagino T, Senga S, Yamashita T, Haro H Journal of Knee Surgery 5(23);1055

9: Pedicle Perforation While Inserting Screws Using O-Arm Navigation During Surgery for Adolescent Idiopathic Scoliosis: Risk Factors and Effect of Insertion Order. Ohba H, Ebata S, Takahashi J, Koyama K, Uehara M, Kato H, Haro H, Ohba T Spine. Jun 11 [Epub ahead of print]

10: Platelet-derived TGF- β induces tissue factor expression via the Smad3 pathway in osteosarcoma cells. Saito M, Ichikawa J, Ando T, Schoenecker JG, Ohba T, Koyama K, Suzuki-Inoue K, Haro H. J Bone Miner Res. Jun 27 [Epub ahead of print]

11: Loss of Pelvic Incidence Correction after Long Fusion Using Iliac Screws for Adult Spinal Deformity: Cause and Effect on Clinical Outcome. Ohba H, Ebata S, Takahashi J, Ikegami S, Koyama K, Haro H, Kato H, Ohba T Spine (Phila Pa 1976). 2018 Jul 2;44(3):195-202

12: Spinal Metastasis of Well-Differentiated Liposarcoma Component in Retroperitoneal Dedifferentiated Liposarcoma Treated by Minimally Invasive Surgery. Ichikawa J, Ohba T, Kanda H, Fujita K, Ebata S, Haro H. Case Reports in Orthopedics Volume 2018, Article ID 1708572, 5 pages

13: Effect of Thrombin-Induced MCP-1 and MMP-3 Production Via PAR1 Expression in Murine Intervertebral Discs. Takayama Y, Ando T, Ichikawa J, Haro H Sci Rep. 2018 Jul 27;8(1):11320

14: Weekly Teriparatide Administration and Preoperative Anterior Slippage of the Cranial Vertebra Next to Fusion Segment < 2 Mm Promote Osseous Union after Posterior Lumbar Interbody Fusion. Ushirozako H, Hasegawa T, Ebata S, Oba H, Ohba T, Mukaiyama K, Isogai Y, Okada E, Ojima T, Takahashi J, Haro H, Matsuyama Y Spine (Phila Pa 1976). 2018 Aug 7

15: Bilateral dual iliac screws in spinal deformity correction surgery. Ebata S, Ohba T, Oba H, Haro H J Orthop Surg Res. 2018 Oct 19;13(1):260

16: New intramuscular electromyographic monitoring with a probe in lateral lumbar interbody fusion surgery. Ebata S, Ohba T, Haro H Spine Surgery and Related Research Oct 30

17: Correlation Between Postoperative Distribution of Lordosis and Reciprocal Progression of

Thoracic Kyphosis and Occurrence of Proximal Junctional Kyphosis Following Surgery for Adult Spinal Deformity. Ohba T, Ebata S, Oba H, Koyama K, Haro H Clin Spine Surg. 2018 Nov;31(9):E466-E472

18: Surgical outcome of long fusion using dual iliac screws bilaterally for adult spinal deformity: effect on loosening rate and sacroiliac joint correction. Ebata S, Ohba H, Ohba T, Takahashi J, Ikegami S, Koyama K, Kato H, Haro H Spine Surgery and Related Research (accepted for publication Nov 27)

19: Improvement of a Finger Force Distribution Measurement Device employing Adjustable Structure. Lu Zhao, Makino K, Fujita K, Sasaki T, Sato N, Miyamamoto M, Haro H, Terada H IEEE/SICE International Symposium on System Integration(accept)

20: Development of a Dynamometer to Measure Grip Strength of Each Finger. Makino K, Sato N, Fujita K, Kanagawa T, Miyamoto M, Sasaki T, Haro H, Kondo Y, Terada H Advances in Science, Technology and Engineering Systems Journal (accept)

21: Co-existence of ossification of the nuchal ligament is associated with severity of ossification in the whole spine in patients with cervical ossification of the posterior longitudinal ligament -A multi-center CT study. Yoshii T, Hirai T, Iwanami A, Nagoshi N, Takeuchi K, Mori K, Yamada T, Seki S, Tsuji T, Fujiyoshi K, Furukawa M, Nishimura S, Wada K, Koda M, Furuya T, Matsuyama Y, Hasegawa T, Takeshita K, Kimura A, Abematsu M, Haro H, Ohba T, Watanabe M, Katoh H, WatanabeK, Ozawa H, Kanno H, Imagama S, Ando K, Fujibayashi S, Matsumoto M, Nakamura M, Yamazaki M, Okawa A, Kawaguchi Y. J Orthop Sci. 2019 Jan;24(1):35-41. doi: 10.1016/j.jos.2018.08.009. Epub 2018 Sep 20.

22: Prevalence and Distribution of Diffuse Idiopathic Skeletal Hyperostosis on Whole-spine Computed Tomography in Patients With Cervical Ossification of the Posterior Longitudinal Ligament: A Multicenter Study. Nishimura S, Nagoshi N, Iwanami A, Takeuchi A, Hirai T, Yoshii T, Takeuchi K, Mori K, Yamada T, Seki S, Tsuji T, Fujiyoshi K, Furukawa M, Wada K, Koda M, Furuya T, Matsuyama Y, Hasegawa T, Takeshita K, Kimura A, Abematsu M, Haro H, Ohba T, Watanabe M, KatohH, Watanabe K, Ozawa H, Kanno H, Imagama S, Ando K, Fujibayashi S, Yamazaki M, Watanabe K, Matsumoto M, Nakamura M, Okawa A, Kawaguchi Y; Japanese Organization of the Study for Ossification of Spinal Ligament (JOSL). Clin Spine Surg. 2018 Nov;31(9):E460-E465. doi: 10.1097/BSD.0000000000000701.

23: Platelet-Derived TGF- β Induces Tissue Factor Expression via the Smad3 Pathway in

Osteosarcoma Cells. Saito M, Ichikawa J, Ando T, Schoenecker JG, Ohba T, Koyama K, Suzuki-Inoue K, Haro H. J Bone Miner Res. 2018 Nov;33(11):2048-2058.

24: Pedicle Perforation While Inserting Screws Using O-arm Navigation During Surgery for Adolescent Idiopathic Scoliosis: Risk Factors and Effect of Insertion Order. Oba H, Ebata S, Takahashi J, Koyama K, Uehara M, Kato H, Haro H, Ohba T. Spine (Phila Pa 1976). 2018 Dec 15;43(24):E1463-E1468.

25: 腰椎椎間板ヘルニアに対するMED法 江幡重人, 大場哲郎, 波呂浩孝 整形外科サージカルテクニック 8(5)Oct.;70-77

26. 内反足の治療初期におけるX線評価 若生政憲, 木盛健雄, 萩野哲男, 波呂浩孝 日本小児整形外科学会雑誌 17 (1) Oct.;39-41

27. 大腿骨内側顆部骨壊死に対する機能的な外反装具の使用経験 千賀進也, 萩野哲男, 落合聡司, 波呂浩孝 東日本整災会誌 30(2);183-186

28: LIF①: 経大腰筋XLIF 江幡重人, 大場哲郎, 波呂浩孝 整形外科サージカルテクニック 8(1) Feb.;52-27

29. 握力測定システムの開発と基礎的知見の検証—握力測定における各指握力の特性と傾向— 宮本 誠也, 佐藤 信隆, 齋藤 正憲, 寺田 英嗣, 牧野 浩二, 波呂 浩孝 日本手外科学会誌 34(4);691-695

30. LLIFとPLIFの適応の違いについて. 江幡 重人, 大場 哲郎, 大場 悠己, 波呂 浩孝 J. Spine Res.9(6);999-1004

31. Golf 障害. 落合 聡司, 米田 稔, 熊井 司, 萩内 隆司, 菅谷 啓之, 大森 豪, 前達 雄, 黒河内 和俊 JOSKAS パンフレット運動器疾患とスポーツ外傷・障害 No.8