

## **掲載論文(2020年)**

- 1: Ohba T, Haro H. TWEAK and TSLP in disc degeneration and spontaneous hernia resorption. *JOR Spine*. 2020 Jan 9;3(1):e1068.
  
- 2: Sato N, Okita G, Uchiyama S, Matsui Y, Wakabayashi Y, Ishii S, Kuniyoshi K, Hirachi K, Haro H, Kato H. Ulnar neuropathy at the elbow in 413 Japanese patients: An assessment of pathological elbow lesions and neurological severity. *J Orthop Sci*. 2020 Mar;25(2):235-240.
  
- 3: Iwama T, Ohba T, Okita G, Ebata S, Ueda R, Motosugi U, Onishi H, Haro H, Hori M. Utility and validity of neurite orientation dispersion and density imaging with diffusion tensor imaging to quantify the severity of cervical spondylotic myelopathy and assess postoperative neurological recovery. *Spine J*. 2020 Mar;20(3):417-425.
  
- 4: Wako M, Ichikawa J, Koyama K, Takayama Y, Haro H. Calcific Tendinitis of the Supraspinatus Tendon in an Infant. *Case Rep Orthop*. 2020 Jul 2;2020:9842489.
  
- 5: Koyama K, Ohba T, Odate T, Wako M, Haro H. Pathological features of established osteoarthritis with hydrarthrosis are similar to rheumatoid arthritis. *Clin Rheumatol*. 2020 Oct 8. doi: 10.1007/s10067-020-05453-1. Epub ahead of print.
  
- 6: Koizumi R, Koyama K, Wako M, Ohba T, Takayama Y, Haro H. Clinical conditions needed to acquire sustained functional remission in rheumatoid arthritis patients. *Clin Rheumatol*. 2020 Oct 11. doi: 10.1007/s10067-020-05451-3. Epub ahead of print.
  
- 7: Ichikawa J, Ando T, Kawasaki T, Sasaki T, Shirai T, Tsukiji N, Kimura Y, Aoki K, Hayakawa K, Suzuki-Inoue K, Saitoh M, Haro H. Role of Platelet C-Type Lectin- Like Receptor 2 in Promoting Lung Metastasis in Osteosarcoma. *J Bone Miner Res*. 2020 Sep;35(9):1738-1750.
  
- 8: Taniguchi N, Jinno T, Endo H, Wako M, Tatsuno R, Ochiai S, Haro H. Improvement of locomotive syndrome after total hip arthroplasty: A two-year longitudinal cohort study. *Mod Rheumatol*. 2020 Oct 2:1-9.
  
- 9: Ando T, Ichikawa J, Fujimaki T, Taniguchi N, Takayama Y, Haro H. Gemcitabine and

Rapamycin Exhibit Additive Effect against Osteosarcoma by Targeting Autophagy and Apoptosis. *Cancers (Basel)*. 2020 Oct 23;12(11):3097.

10: Wako M, Koyama K, Takayama Y, Haro H. The characteristics of the whole pelvic morphology in slipped capital femoral epiphysis: A retrospective observational study. *Medicine (Baltimore)*. 2020 Apr;99(14):e19600.

11: Ohba T, Ebata S, Ikegami S, Oba H, Haro H. Indications and limitations of minimally invasive lateral lumbar interbody fusion without osteotomy for adult spinal deformity. *Eur Spine J*. 2020 Jun;29(6):1362-1370.

12: Ohba T, Ebata S, Oda K, Tanaka N, Haro H. Utility of a Computer-assisted Rod Bending System to Avoid Pull-out and Loosening of Percutaneous Pedicle Screws. *Clin Spine Surg*. 2020 Oct 13. doi: 10.1097/BSD.0000000000001099. Epub ahead of print.

13: Katsu M, Ohba T, Ebata S, Oba H, Koyama K, Haro H. Potential Role of Paraspinal Musculature in the Maintenance of Spinopelvic Alignment in Patients With Adult Spinal Deformities. *Clin Spine Surg*. 2020 Mar;33(2):E76-E80.

14: Ohba T, Oba H, Koyama K, Oda K, Tanaka N, Fujita K, Haro H. Locomotive syndrome: Prevalence, surgical outcomes, and physical performance of patients treated to correct adult spinal deformity. *J Orthop Sci*. 2020 Sep 1:S0949-2658(20)30244-X. doi: 10.1016/j.jos.2020.06.012. Epub ahead of print.

15: Tanaka N, Ebata S, Oda K, Oba H, Haro H, Ohba T. Predictors and Clinical Importance of Postoperative Coronal Malalignment After Surgery to Correct Adult Spinal Deformity. *Clin Spine Surg*. 2020 Aug;33(7):E337-E341.

16: Ohba T, Yokomichi H, Koyama K, Tanaka N, Oda K, Haro H. Factors affecting postoperative mortality of patients with insufficient union following osteoporotic vertebral fractures and impact of preoperative serum albumin on mortality. *BMC Musculoskelet Disord*. 2020 Aug 10;21(1):528.

17: Endo T, Ohba T, Oba H, Oda K, Tanaka N, Haro H. Prevalence and Key Radiographic Spinal Malalignment Parameters Associated with the Risk of Pulmonary Function Impairment in Patients Treated Surgically to Correct Adult Spinal Deformity. *Spine Surg*

Relat Res. 2020 Apr 20;4(4):347-353.

18: Ohba T, Ebata S, Oba H, Oda K, Tanaka N, Koyama K, Haro H. Key Radiographic Parameters That Influence the Improvement of Postoperative Gastroesophageal Reflux Disease in Patients Treated Surgically for Adult Spinal Deformity With a Minimum 2-Year Follow-up. *Spine (Phila Pa 1976)*. 2020 Aug 1;45(15):E943-E949.

19: Ohba T, Hatsushika K, Ebata S, Koyama K, Akaike H, Yokomichi H, Masuyama K, Haro H. Risk Factors and Assessment Using an Endoscopic Scoring System for Early and Persistent Dysphagia After Anterior Cervical Decompression and Fusion Surgery. *Clin Spine Surg*. 2020 May;33(4):E168-E173.

20: Oba H, Takahashi J, Yokomichi H, Hasegawa T, Ebata S, Mukaiyama K, Ohba T, Ushirozako H, Kuraishi S, Ikegami S, Uehara M, Takizawa T, Munakata R, Hatakenaka T, Matsuyama Y, Haro H. Weekly Teriparatide Versus Bisphosphonate for Bone Union During 6 Months After Multi-Level Lumbar Interbody Fusion for Osteoporotic Patients: A Multicenter, Prospective, Randomized Study. *Spine (Phila Pa 1976)*. 2020 Jul 1;45(13):863-871.

21: Ohba T, Koyama K, Oba H, Oda K, Tanaka N, Haro H. Clinical Importance, Incidence and Risk Factors for the Development of Postoperative Ileus Following Adult Spinal Deformity Surgery. *Global Spine J*. 2020 Dec 17:2192568220976562. doi: 10.1177/2192568220976562. Epub ahead of print.

22: 青少年期のスポーツによる頭部・口腔・顎・顔面外傷. 佐久間 陸友, 千野 孔三, 岩瀬 弘明, 定月 亮, 眞島 崇史, 有田 均, 芦沢 知行, 勝 麻里那, 塩原 崇生, 水上 魁. 山梨県立中央病院年報, 第 46 巻:168-171;2020

23: Hirai T, Yoshii T, Ushio S, Hashimoto J, Mori K, Maki S, Katsumi K, Nagoshi N, Takeuchi K, Furuya T, Watanabe K, Nishida N, Nishimura S, Watanabe K, Kaito T, Kato S, Nagashima K, Koda M, Ito K, Imagama S, Matsuoka Y, Wada K, Kimura A, Ohba T, Katoh H, Watanabe M, Matsuyama Y, Ozawa H, Haro H, Takeshita K, Matsumoto M, Nakamura M, Yamazaki M, Yuasa M, Inose H, Okawa A, Kawaguchi Y. Associations between Clinical Symptoms and Degree of Ossification in Patients with Cervical Ossification of the Posterior Longitudinal Ligament: A Prospective Multi-Institutional Cross-Sectional Study. *J Clin Med*. 2020 Dec 15;9(12):4055.

- 24: Predictors for quality of life improvement after acute osteoporotic vertebral fracture: results of post hoc analysis of a prospective randomized study. Inose H, Kato T, Nakamura H, Hoshino M, Togawa D, Hirano T, Tokuhashi Y, Ohba T, Haro H, Tsuji T, Sato K, Sasao Y, Takahata M, Otani K, Momoshima S, Takahashi K, Yuasa M, Hirai T, Yoshii T, Okawa A. *Qual Life Res.* 2020 Sep 12. doi: 10.1007/s11136-020-02629-9.
- 25: Ushirozako H, Hasegawa T, Ebata S, Ohba T, Oba H, Mukaiyama K, Shimizu S, Yamato Y, Ide K, Shibata Y, Ojima T, Takahashi J, Haro H, Matsuyama Y. Impact of Early Intervertebral Osseous Union After Posterior Lumbar Interbody Fusion on Health-Related Quality of Life. *Global Spine J.* 2020 Sep 10:2192568220953813. doi: 10.1177/2192568220953813.
- 26: Miyakoshi N, Kudo D, Matsuyama Y, Yamashita T, Kawakami M, Takahashi K, Yoshida M, Kaito T, Imagama S, Ohtori S, Taguchi T, Haro H, Taneichi H, Yamazaki M, Inoue G, Nishida K, Yamada H, Kabata D, Shintani A, Iwasaki M, Ito M, Murakami H, Yonenobu K, Takura T, Mochida J. Impact of Consultation Length on Satisfaction in Patients with Chronic Low Back Pain: A Nationwide Multicenter Study in Japan. *Spine Surg Relat Res.* 2020 Jan 29;4(3):208-215.
- 27: Ushirozako H, Hasegawa T, Ebata S, Ohba T, Oba H, Mukaiyama K, Shimizu S, Yamato Y, Ide K, Shibata Y, Ojima T, Takahashi J, Haro H, Matsuyama Y. Impact of sufficient contact between the autograft and endplate soon after surgery to prevent nonunion at 12 months following posterior lumbar interbody fusion. *J Neurosurg Spine.* 2020 Aug 7:1-10.
- 28: Hasegawa T, Ushirozako H, Shigeto E, Ohba T, Oba H, Mukaiyama K, Shimizu S, Yamato Y, Ide K, Shibata Y, Ojima T, Takahashi J, Haro H, Matsuyama Y. The Titanium-coated PEEK Cage Maintains Better Bone Fusion With the Endplate Than the PEEK Cage 6 Months After PLIF Surgery: A Multicenter, Prospective, Randomized Study. *Spine (Phila Pa 1976).* 2020 Aug 1;45(15):E892-E902.
- 29: Inose H, Kato T, Ichimura S, Nakamura H, Hoshino M, Togawa D, Hirano T, Tokuhashi Y, Ohba T, Haro H, Tsuji T, Sato K, Sasao Y, Takahata M, Otani K, Momoshima S, Yuasa M, Hirai T, Yoshii T, Okawa A. Predictors of residual low back pain after acute osteoporotic compression fracture. *J Orthop Sci.* 2020 Jun 24:S0949-2658(20)30135-4.

- 30: Munakata R, Koseki M, Oba H, Ikegami S, Uehara M, Kuraishi S, Yamato Y, Ohba T, Seki S, Takizawa T, Hatakenaka T, Ebata S, Haro H, Matsuyama Y, Takahashi J. Selecting the C7-LIV Line Vertebra as the Upper Instrumented Vertebra for Adolescent Idiopathic Scoliosis Lenke Type 1A Curves: Multicenter and a Minimum 2-Year Follow-up Study. *Spine (Phila Pa 1976)*. 2020 Sep 1;45(17):1239-1245.
- 31: Moriguchi T, Harii N, Goto J, Harada D, Sugawara H, Takamino J, Ueno M, Sakata H, Kondo K, Myose N, Nakao A, Takeda M, Haro H, Inoue O, Suzuki-Inoue K, Kubokawa K, Ogihara S, Sasaki T, Kinouchi H, Kojin H, Ito M, Onishi H, Shimizu T, Sasaki Y, Enomoto N, Ishihara H, Furuya S, Yamamoto T, Shimada S. A first case of meningitis/encephalitis associated with SARS-Coronavirus-2. *Int J Infect Dis*. 2020 May;94:55-58.
- 32: Hirai T, Yoshii T, Ushio S, Mori K, Maki S, Katsumi K, Nagoshi N, Takeuchi K, Furuya T, Watanabe K, Nishida N, Watanabe K, Kaito T, Kato S, Nagashima K, Koda M, Ito K, Imagama S, Matsuoka Y, Wada K, Kimura A, Ohba T, Katoh H, Matsuyama Y, Ozawa H, Haro H, Takeshita K, Watanabe M, Matsumoto M, Nakamura M, Yamazaki M, Okawa A, Kawaguchi Y. Clinical characteristics in patients with ossification of the posterior longitudinal ligament: A prospective multi-institutional cross-sectional study. *Sci Rep*. 2020 Mar 26;10(1):5532.
- 33: Imagama S, Murakami H, Kaito T, Matsuyama Y, Yamashita T, Kawakami M, Takahashi K, Yoshida M, Ohtori S, Taguchi T, Haro H, Taneichi H, Yamazaki M, Inoue G, Nishida K, Yamada H, Kabata D, Shintani A, Iwasaki M, Ito M, Miyakoshi N, Yonenobu K, Takura T, Mochida J; Project Committee of the Japanese Society for Spine Surgery and Related Research (JSSR). Impact of background factors on outcomes of pharmacological therapy for chronic low back pain: A nationwide multicenter prospective study. *J Orthop Sci*. 2020 Feb 28:S0949-2658(20)30051-8.
- 34: Inose H, Kato T, Ichimura S, Nakamura H, Hoshino M, Togawa D, Hirano T, Tokuhashi Y, Ohba T, Haro H, Tsuji T, Sato K, Sasao Y, Takahata M, Otani K, Momoshima S, Yuasa M, Hirai T, Yoshii T, Okawa A. Risk Factors of Nonunion After Acute Osteoporotic Vertebral Fractures: A Prospective Multicenter Cohort Study. *Spine (Phila Pa 1976)*. 2020 Jul 1;45(13):895-902.
- 35: Jubashi T, Ichikawa J, Haro H. Intraosseous Tophaceous Gout in Hallux Mimicking a

Bone Tumor in a Young Patient: A Case Report. *JBJS Case Connect.* 2019 Dec;9(4):e0043.

36: Mori K, Yoshii T, Hirai T, Nagoshi N, Takeuchi K, Ushio S, Iwanami A, Yamada T, Seki S, Tsuji T, Fujiyoshi K, Furukawa M, Nishimura S, Wada K, Furuya T, Matsuyama Y, Hasegawa T, Takeshita K, Kimura A, Abematsu M, Haro H, Ohba T, Watanabe M, Katoh H, Watanabe K, Ozawa H, Kanno H, Imagama S, Ando K, Fujibayashi S, Koda M, Yamazaki M, Matsumoto M, Nakamura M, Okawa A, Kawaguchi Y. The characteristics of the patients with radiologically severe cervical ossification of the posterior longitudinal ligament of the spine: A CT-based multicenter cross-sectional study. *J Orthop Sci.* 2020 Sep;25(5):746-750.

37: Konishi Y, McNair PJ, Rice DA, Ochiai S, Hagino T.: Stretch reflex changes in ACL-deficient individuals and healthy controls during normal and surprise landings. *Scand J Med Sci Sports.* 2020 Aug 27. doi: 10.1111/sms.13810. Online ahead of print.

38: Rikito Tatsuno, Tetsuo Hagino, Satoshi Ochiai, Shinya Senga, Takashi Yamashita, Masanori Wako, Naofumi Taniguchi, Takashi Ando, Hirotaka Haro.: A Delayed Diagnosis of an Isolated Trapezoidal Fracture due to Direct Trauma: A Case Report. *ARC Journal of Clinical Case Reports.* 2020; 6(1): 1-5. doi:dx.doi.org/10.20431/2455-9806.0601001.

39: 萩野哲男, 落合聡司, 千賀進也, 山下隆, 齋藤正憲, 重橋孝洋: 外側半月板前節損傷の病態, 診断とその治療. *整形・災害外科* 63(5): 625-631, 2020