

掲載論文 (2021 年)

1. Ando T, Suzuki-Karasaki M, Suzuki-Karasaki M, Ichikawa J, Ochiai T, Yoshida Y, Haro H, Suzuki-Karasaki Y. Combined Anticancer Effect of Plasma-Activated Infusion and Salinomycin by Targeting Autophagy and Mitochondrial Morphology. *Front Oncol.* 2021 Jun 4;11:593127. doi: 10.3389/fonc.2021.593127. PMID: 34150606; PMCID: PMC8212785.
2. Banno T, Yamato Y, Oba H, Ohba T, Hasegawa T, Yoshida G, Arima H, Oe S, Mihara Y, Ushirozako H, Takahashi J, Haro H, Matsuyama Y. Preoperative Thoracic Curve Magnitude and L4 end Vertebra were Risk Factors for Subjacent Disc Wedging after Selective Thoracolumbar/Lumbar Fusion with L3 as the Lowest Instrumented Vertebra in Lenke type 5 Curve Patients. *Spine (Phila Pa 1976)* :Aug 15;46(16)
3. Banno T, Yamato Y, Oba H, Ohba T, Hasegawa T, Yoshida G, Arima H, Oe S, Mihara Y, Ushirozako H, Takahashi J, Haro H, Matsuyama Y. Should L3 be selected as the lowest instrumented vertebra in patients with Lenke type 5C adolescent idiopathic scoliosis whose lowest end vertebra is L4? *J Neurosurg Spine.*: Jul 9:1-10
4. Fujimaki T, Ando T, Hata T, Takayama Y, Ohba T, Ichikawa J, Takiyama Y, Tatsuno R, Koyama K, Haro H. Exogenous parathyroid hormone attenuates ovariectomy-induced skeletal muscle weakness in vivo. *Bone.* 2021 Jun 7;151:116029. doi: 10.1016/j.bone.2021.116029. Epub ahead of print. PMID:34111645.
5. Fujimaki T, Wako M, Koyama K, Furuya N, Shinohara R, Otawa S, Kobayashi A, Horiuchi S, Kushima M, Yamagata Z, Haro H; Yamanashi adjunct study of the Japan Environment and Children's Study Group. Prevalence of floating toe and its relationship with static postural stability in children: The Yamanashi adjunct study of the Japan Environment and Children's Study (JECS-Y). *PLoS One.* 2021 Mar 24;16(3):e0246010. doi: 10.1371/journal.pone.0246010. PMID: 33760833; PMCID:PMC7990192.
6. Haro H, Ebata S, Inoue G, Kaito T, Komori H, Ohba T, Sakai D, Sakai T, Seki S, Shiga Y, Suzuki H, Toyota H, Watanabe K, Yamato Y. Japanese Orthopaedic Association (JOA) clinical practice guidelines on the management of lumbar disc herniation, third edition – secondary publication. *Journal of Orthopaedic Science.* Dec 2;S0949-2658(21)00290-6. Online ahead of print.
7. Hirai T, Nishimura S, Yoshii T, Nagoshi N, Hashimoto J, Mori K, Maki S, Katsumi K, Takeuchi K, Ushio S, Furuya T, Watanabe K, Nishida N, Watanabe K, Kaito T, Kato S, Nagashima K, Koda M, Nakashima H, Imagama S, Murata K, Matsuoka Y, Wada K, Kimura A, Ohba T, Katoh H, Watanabe M, Matsuyama Y, Ozawa H, Haro H, Takeshita K, Matsumoto M, Nakamura M, Yamazaki M, Matsukura Y, Inose H, Okawa A, Kawaguchi Y Associations between Clinical Findings and Severity of Diffuse Idiopathic Skeletal Hyperostosis in Patients with Ossification of the Posterior Longitudinal Ligament. *J Clin Med.*: Sep 14;10(18): 4137
8. Ichikawa J, Kawasaki T, Imada H, Enomoto A, Taniguchi N, Tatsuno R, Kanno S, Haro H. Spindle

Cell Lipoma with Ossification Mimicking Atypical Lipomatous Tumor/Well-Differentiated Liposarcoma: A Case Report. *Int J Surg Pathol*. Nov 23;10668969211055798.

9. Imagama S, Murakami H, Kaito T, Matsuyama Y, Yamashita T, Kawakami M, Takahashi K, Yoshida M, Ohtori S, Taguchi T, Haro H, Taneichi H, Yamazaki M, Inoue G, Nishida K, Yamada H, Kabata D, Shintani A, Iwasaki M, Ito M, Miyakoshi N, Yonenobu K, Takura T, Mochida J; Project Committee of the Japanese Society for Spine Surgery and Related Research (JSSR). Impact of background factors on outcomes of pharmacological therapy for chronic low back pain: A nationwide multicenter prospective study. *J Orthop Sci*. 2021 Jan;26(1):92-102. doi:10.1016/j.jos.2020.02.003. Epub 2020 Feb 28. PMID: 32122744.
10. Inose H, Kato T, Ichimura S, Nakamura H, Hoshino M, Togawa D, Hirano T, Tokuhashi Y, Ohba T, Haro H, Tsuji T, Sato K, Sasao Y, Takahata M, Otani K, Momoshima S, Yuasa M, Hirai T, Yoshii T, Okawa A. Predictors of residual lowback pain after acute osteoporotic compression fracture. *J Orthop Sci*. 2021 May;26(3):453-458. doi: 10.1016/j.jos.2020.04.015. Epub 2020 Jun 24. PMID:32593545.
11. Inose H, Kato T, Ichimura S, Nakamura H, Hoshino M, Togawa D, Hirano T, Tokuhashi Y, Ohba T, Haro H, Tsuji T, Sato K, Sasao Y, Takahata M, Otani K, Momoshima S, Takahashi K, Yuasa M, Hirai T, Yoshii T, Okawa A. Risk factors for subsequent vertebral fracture after acute osteoporotic vertebral fractures. *Eur Spine J*. 2021 Jan 30. doi: 10.1007/s00586-021-06741-3. Epub ahead of print. PMID: 33515331.
12. Inose H, Kato T, Nakamura H, Hoshino M, Togawa D, Hirano T, Tokuhashi Y, Ohba T, Haro H, Tsuji T, Sato K, Sasao Y, Takahata M, Otani K, Momoshima S, Takahashi K, Yuasa M, Hirai T, Yoshii T, Okawa A. Predictors for quality of life improvement after acute osteoporotic vertebral fracture: results of post hoc analysis of a prospective randomized study. *Qual Life Res*. 2021 Jan;30(1):129-135. doi: 10.1007/s11136-020-02629-9. Epub 2020 Sep 12. PMID:32920677.
13. Kameyama K, Ohba T, Endo T, Katsu M, Koji F, Kensuke K, Oda K, Tanaka N, Haro H. Radiological Assessment of Postoperative Paraspinal Muscle Changes After Lumbar Interbody Fusion With or Without Minimally Invasive Techniques. *Global Spine J*. 2021 Mar 4;2192568221994794. doi: 10.1177/2192568221994794. Epub ahead of print. PMID: 33657897.
14. Kashiwagi K, Matsuda Y, Ito Y, Kawate H, Sakamoto M, Obi S, Haro H. Investigation of visual and physical factors associated with inadequate instillation of eyedrops among patients with glaucoma. *PLoS One*. 2021 May 14;16(5):e0251699. doi: 10.1371/journal.pone.0251699. PMID: 33989342; PMCID:PMC8121298.
15. Katsumi K, Hirai T, Yoshii T, Maki S, Mori K, Nagoshi N, Nishimura S, Takeuchi K, Ushio S, Furuya T, Watanabe K, Nishida N, Watanabe K, Kaito T, Kato S, Nagashima K, Koda M, Ito K, Imagama S, Matsuoka Y, Wada K, Kimura A, Ohba T, Katoh H, Matsuyama Y, Ozawa H, Haro H, Takeshita K, Watanabe M, Matsumoto M, Nakamura M, Yamazaki M, Okawa A, Kawaguchi Y. The impact of ossification spread on cervical spine function in patients with ossification of the posterior longitudinal ligament. *Sci Rep*. Jul 12;11(1): 14337

16. Koizumi R, Koyama K, Wako M, Ohba T, Takayama Y, Haro H. Clinical conditions needed to acquire sustained functional remission in rheumatoid arthritis patients. *Clin Rheumatol.* 2021 May;40(5):1751-1757. doi:10.1007/s10067-020-05451-3. Epub 2020 Oct 11. PMID: 33040232.
17. Koyama K, Ohba T, Odate T, Wako M, Haro H. Pathological features of established osteoarthritis with hydrarthrosis are similar to rheumatoid arthritis. *Clin Rheumatol.* 2021 May;40(5):2007-2012. doi:10.1007/s10067-020-05453-1. Epub 2020 Oct 8. PMID: 33033859.
18. Mori K, Yoshii T, Hirai T, Maki S, Katsumi K, Nagoshi N, Nishimura S, Takeuchi K, Ushio S, Furuya T, Watanabe K, Nishida N, Watanabe K, Kaito T, Kato S, Nagashima K, Koda M, Ito K, Imagama S, Matsuoka Y, Wada K, Kimura A, Ohba T, Katoh H, Matsuyama Y, Ozawa H, Haro H, Takeshita K, Watanabe M, Matsumoto M, Nakamura M, Yamazaki M, Okawa A, Kawaguchi Y. The characteristics of the young patients with cervical ossification of the posterior longitudinal ligament of the spine: A multicenter cross-sectional study. *J Orthop Sci.* 2021 Jun 3:S0949-2658(21)00147-0. doi: 10.1016/j.jos.2021.04.010. Epub ahead of print. PMID: 34092477.
19. Nakano M, Yui H, Kikugawa S, Tokida R, Sakai N, Kondo N, Endo N, Haro H, Shimodaira H, Suzuki T, Kato H, Takahashi J, Nakamura Y. Associations of LRP5 and MTHFR Gene Variants with Osteoarthritis Prevalence in Elderly Women: A Japanese Cohort Survey Randomly Sampled from a Basic Resident Registry. *Ther Clin Risk Manag.:* Sep 29;17: 1065-1073
20. Nishimura S, Hirai T, Nagoshi N, Yoshii T, Hashimoto J, Mori K, Maki S, Katsumi K, Takeuchi K, Ushio S, Furuya T, Watanabe K, Nishida N, Kaito T, Kato S, Nagashima K, Koda M, Nakashima H, Imagama S, Murata K, Matsuoka Y, Wada K, Kimura A, Ohba T, Katoh H, Watanabe M, Matsuyama Y, Ozawa H, Haro H, Takeshita K, Matsukura Y, Inose H, Yamazaki M, Watanabe K, Matsumoto M, Nakamura M, Okawa A, Kawaguchi Y. Association between Severity of Diffuse Idiopathic Skeletal Hyperostosis and Ossification of Other Spinal Ligaments in Patients with Ossification of the Posterior Longitudinal Ligament. *J Clin: Med.* Oct 13;10(20): 4690
21. Ochiai S, Hagino T, Senga S, Taniguchi N, Ando T, Haro H. A Hospital Clinic Experience with Isolated Lateral Meniscal Tears in Sports: A Chart Review on Rugby. *Asian Journal of Sports Medicine.* 12(2)
22. Oda K, Ohba T, Hiroshi Y, Fujita K, Tanaka N, Koyma K, Haro H. Factors Affecting Pedicle Screw Insertional Torque in Spine Deformity Surgery. *Spine:* 1;46(17): E932-E938
23. Ohba T, Ebata S, Oda K, Tanaka N, Haro H. Utility of a Computer-assisted Rod Bending System to Avoid Pull-out and Loosening of Percutaneous Pedicle Screws. *Clin Spine Surg.* 2021 Apr 1;34(3):E166-E171. doi: 10.1097/BSD.0000000000001099. PMID: 33060429.
24. Ohba T, Koji F, Koyama K, Oba H, Oda K, Tanaka N, Haro H. Preoperative Radiographic Evaluation of Thoracic Flexibility and Compensation for Adult Spinal Deformity Surgery. How to Select Optimal Upper Instrumented Vertebra to Prevent Proximal Junctional Kyphosis. *Spine:*47(2):144-152
25. Ohba T, Oba H, Oda K, Tanaka N, Haro H. Surgical Outcomes After Minimally Invasive Direct Lateral Corpectomy with Percutaneous Pedicle Screws for Osteoporotic Thoracolumbar

Vertebral Collapse with Neurologic Deficits in the Thoracolumbar Spine Compared with Those After Posterior Spinal Fusion with Vertebroplasty. *Spine (Phila Pa 1976)* Sep 15;46(18): 1271-1278

26. Taniguchi N, Jinno T, Ohba T, Endo H, Wako M, Fujita K, Koyama K, Ichikawa J, Ando T, Ochiai S, Haro H. Differences of 2-year longitudinal changes of locomotive syndrome among patients treated with thoracolumbar interbody fusion, total hip arthroplasty, and total knee arthroplasty for degenerative diseases. *Mod Rheumatol.*: Sep 4:roab033
27. Wako M, Koyama K, Fujimaki T, Furuya N, Haro H. A Rare Case of an Iliac Fracture at the Iliac Fossa Immediately after Salter Innominate Osteotomy. *Case Rep Orthop.* 2021 Jan 27;2021:6653726. doi: 10.1155/2021/6653726. PMID: 33575049; PMCID: PMC7857925.
28. 若生政憲.スマホ社会と子どもの運動器障害 よくあるケガからロコモティブシンドロームまで.小児保健研究: 80 巻 2 号: 149-154
29. 勝麻里那, 大場哲郎, 波呂浩孝.成人脊柱変形患者のアライメントに体幹筋が及ぼす影響. 臨床雑誌 整形外科: 72 (8) :910-913
30. 大場哲郎.成人脊柱変形患者におけるロコモティブシンドロームの解析～脊椎骨盤パラメータと術後 2 年成績に着目して～. *J. Spine Res.* 12; 703-708
31. 萩野哲男, 落合聡司, 千賀進也, 山下隆, 齋藤正憲, 若生政憲, 谷口直史, 安藤隆, 波呂浩孝.外来統計からみた小児のスポーツ傷害患者の検討.日本小児整形外科学会雑誌 30: 25-29